

\* \* \*

**AIR CONSENT ORDER (RENEWAL)**

No.15/PPCC/CON/AIR/VCP/JSA/2019/500

Puducherry, the **20 AUG 2019**

Consent is hereby renewed under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and orders made there under to M/s. Pondicherry Solid waste Management Company Private Limited., Thuthipet, Puducherry authorising them to operate their plant in the Air Pollution Control area as notified subject to the conditions mentioned below: -

1. Consent is valid upto : 31-03-2021
2. Activity : Common Facility to treat and dispose the Bio-Medical waste - 10TPD
3. (i) Size : Medium (ii) Category : Red  
(iii) Location : Mixed (iv) Area : 823.06 Sq.mt.
4. The flue gas released from the incinerator shall be disposed through Air Pollution Control Devices (APCD) and shall meet the following standards:

Particulate matter	-	50 mg/Nm <sup>3</sup>
Nitrogen oxides	-	400 "
HCL	-	50 "
Total dioxins & Furans	-	0.1 ng TEQ/Nm <sup>3</sup> (at 11% O <sub>2</sub> )
Hg and its compounds	-	0.05
5. The noise level at the boundary shall not exceed 65 and 55 dB (A) during day / night times respectively.
6. Notwithstanding anything contained in any other Act or Rules or Notifications, this clearance is given from pollution angle only. The land use conformity is to be obtained from the concerned authority.
7. **General Conditions**
  - i. The application for renewal of consent shall be made at least 30 days before the date of expiry of this consent order.
  - ii. The unit shall take all possible measures to contain particulate emission from the unit and also maintain good house keeping.
  - iii. This consent order shall be exhibited in the office room and must be made available to the inspecting officers of this Committee.
  - iv. The applicant shall not undertake any expansion, modernization, diversification or change of location without prior clearance from this Committee.
  - v. Notwithstanding anything contained in this consent, the Puducherry Pollution Control Committee hereby reserves its right and power under section 21 (4) of the Air (Prevention and Control of Pollution) Act, 1981 to review any or all the conditions imposed herein from time to time and to modify, revoke or stipulate additional conditions for the purpose of the Act by the committee and to cancel this consent if any of the conditions is violated.

- vi. The above conditions may be modified or additional ones may be prescribed by this authority from time to time.
- vii. The unit shall operate the 40 KVA DG set at the time of power failure only. It shall comply with the standards stipulated under the Environmental Acts.
- viii. The unit shall obtain necessary permission from this authority before erection or replacement of boiler.


**8. Conditions for Better Environmental Management:**

- i. Sufficient Green Belt shall be developed around the unit with suitable variety of plant species.
- ii. Energy conservation measures like installation of LEDs for lighting the areas inside and outside the building should be integral part of the design. Used LEDs, CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid toxic contamination.

**9. Implementation Schedule:**

- i. The unit shall ensure the display of data in on-line monitoring system.
- ii. The Facility shall submit an Environment Statement for the financial year ending 31<sup>st</sup> March in Form V prescribed under The Environment Protection Rules, 1986, on or before the 30<sup>th</sup> day of September every year.
- iii. The Provisions of the Bio-Medical waste Management Rules, 2016 shall be followed strictly.

For & on behalf of PPCC,

  
(SMITHA.R)

MEMBER SECRETARY (PPCC)

To  
✓ M/s. Pondicherry Solid Waste Management Company Private Limited,  
R.S.No. 79/5 & 80/2, Rajeev Gandhi Lay out,  
Thuthipet Village,  
Villianur Commune,  
Puducherry- 605 502.

Copy to: -

1. The Director, Dte. of Industries & Commerce, Puducherry.
2. The Commissioner, Villianur Commune Panchayat, Puducherry
3. Guard file.